



Truck/Trailer Tracking System Overview



© Skysoft Online Technologies Corporation 2011

Product Pictures



CAUTION !!!

Magnet Pad on housing are strong magnet. Handle with Care!!! For this prototype, magnet pad are only mounted by double tape to housing. Final product will have magnet pad mounted by bolt to housing.

Product Pictures


*



















PANIC	PARK	
NOT Activated	Activated	
		Real Time Tracking when Vehicle move





Operation

*

ltem	Tracker Lid	Container Door	PANIC	PARK	Action
Condition 1	Close	Close	NOT Activated	Activated	PARK Alert Tracking when Vehicle move Real Time Tracking Interval 12 Secs
Condition 2	Close	Open	Activated	Activated	Send PANIC Alert PARK Alert Tracking when Vehicle Move Real Time Tracking Interval 12 Secs
Condition 3	Open	Open / Close	Activated	NOT Activated	Send PANIC Alert every 1-2 minutes (Vehicle will be tracked) Real Time Tracking Interval 12 Secs



- Skysoft Online Technologies Corporation
- Email: <u>info@skysoft.vn</u>
- Website: <u>www.skysoft.vn</u>
- Hanoi office

20

Add: No 3, Trung Yen 3, Cau Giay, Ha noi

Tel: 04.37834565 (ext 103) Fax: 04.37834563

Hotline 1: 0904.308.308

Hotline 2: 0973.622.680

